

bq Dec 20-26 1994.log

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdep16.s,v
Working file: c_tests/tcc_builtins/src/_gdep16.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:31; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdep32.s,v
Working file: c_tests/tcc_builtins/src/_gdep32.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:33; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdep4.s,v
Working file: c_tests/tcc_builtins/src/_gdep4.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:34; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdep64.s,v
Working file: c_tests/tcc_builtins/src/_gdep64.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:35; author: claseman; state: Exp;
initial revision

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gdepi8.s,v
Working file: c_tests/tcc_builtins/src/_gdepi8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1994/12/21 18:01:37;  author: claseman;  state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmdepi16.s,v
Working file: c_tests/tcc_builtins/src/_gmdepi16.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1994/12/21 18:01:38;  author: claseman;  state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmdepi32.s,v
Working file: c_tests/tcc_builtins/src/_gmdepi32.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1994/12/21 18:01:39;  author: claseman;  state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmdepi4.s,v
Working file: c_tests/tcc_builtins/src/_gmdepi4.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1994/12/21 18:01:41;  author: claseman;  state: Exp;
```

bq Dec 20-26 1994.log

initial revision

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmdepi64.s,v
Working file: c_tests/tcc_builtins/src/_gmdepi64.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1994/12/21 18:01:42;  author: claseman;  state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gmdepi8.s,v
Working file: c_tests/tcc_builtins/src/_gmdepi8.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1994/12/21 18:01:44;  author: claseman;  state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gshufflei.s,v
Working file: c_tests/tcc_builtins/src/_gshufflei.s
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1994/12/21 18:01:46;  author: claseman;  state: Exp;
initial revision
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gudepi16.s,v
Working file: c_tests/tcc_builtins/src/_gudepi16.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
=====
```

bq Dec 20-26 1994.log
date: 1994/12/21 18:01:47; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gudepi32.s,v
working file: c_tests/tcc_builtins/src/_gudepi32.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:48; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gudepi4.s,v
working file: c_tests/tcc_builtins/src/_gudepi4.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:50; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gudepi64.s,v
working file: c_tests/tcc_builtins/src/_gudepi64.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:51; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/_gudepi8.s,v
working file: c_tests/tcc_builtins/src/_gudepi8.s
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

bq Dec 20-26 1994.log

revision 1.1
date: 1994/12/21 18:01:53; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gdepi16.c,v
working file: c_tests/tcc_builtins/src/gdepi16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:05; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gdepi32.c,v
working file: c_tests/tcc_builtins/src/gdepi32.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:10; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gdepi4.c,v
working file: c_tests/tcc_builtins/src/gdepi4.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:12; author: claseman; state: Exp;
initial revision

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gdepi64.c,v
working file: c_tests/tcc_builtins/src/gdepi64.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

bq Dec 20-26 1994.log

revision 1.1
date: 1994/12/21 18:01:13; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gdepi8.c,v
Working file: c_tests/tcc_builtins/src/gdepi8.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:15; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gmdepi16.c,v
Working file: c_tests/tcc_builtins/src/gmdepi16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:16; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gmdepi32.c,v
Working file: c_tests/tcc_builtins/src/gmdepi32.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:18; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gmdepi4.c,v
Working file: c_tests/tcc_builtins/src/gmdepi4.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1

bq Dec 20-26 1994.log

description:

revision 1.1
date: 1994/12/21 18:01:19; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gmdepi64.c,v
Working file: c_tests/tcc_builtins/src/gmdepi64.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:20; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gmdepi8.c,v
Working file: c_tests/tcc_builtins/src/gmdepi8.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:21; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gshufflei.c,v
Working file: c_tests/tcc_builtins/src/gshufflei.c
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:23; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gudepi16.c,v
Working file: c_tests/tcc_builtins/src/gudepi16.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

bq Dec 20-26 1994.log

total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:24; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gudepi32.c,v
Working file: c_tests/tcc_builtins/src/gudepi32.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:25; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gudepi4.c,v
Working file: c_tests/tcc_builtins/src/gudepi4.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:27; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gudepi64.c,v
Working file: c_tests/tcc_builtins/src/gudepi64.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1994/12/21 18:01:28; author: claseman; state: Exp;
initial revision
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/src/gudepi8.c,v
Working file: c_tests/tcc_builtins/src/gudepi8.c
head: 1.1
branch:
locks: strict
access list:
symbolic names:

bq Dec 20-26 1994.log

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1994/12/21 18:01:29; author: claseman; state: Exp;

initial revision
=====